



# Hikvision Run Rate Product Guide

International distributors of Arteco, Bosch, Hikvision, IDEMIA, Impro, Ligowave & Viridi products



VIDEO SURVEILLANCE



INTRUSION DETECTION



FIRE DETECTION



PUBLIC ADDRESS / EVAC SYSTEMS



ACCESS CONTROL



MANAGEMENT SYSTEMS

Gauteng • Western Cape • Eastern Cape • KwaZulu-Natal

## Other product guides available on request:

- Hikvision High-End Surveillance Guide
- Hikvision Access Control & Intercom Systems
- Access Control & Biometric Solutions
- LigoWave Wireless Solutions



## Hikvision Turbo/TVI Equipment

### Turbo Cameras



**DS-2CE16D0T-IRF**  
**HD 1080P 20m Infra-red Turbo Bullet Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 3.6 mm fixed lens



**DS-2CE16D0T-IT5F**  
**HD 1080P Long Range EXIR 80m Turbo Bullet Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 6 mm fixed lens



**DS-2CE16D0T-VFIR3F**  
**HD 1080P Vari-focal Smart IR Turbo Bullet Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2.8-12 mm vari-focal lens
- Up to 40 m IR distance



**DS-2CE56D0T-IRF**  
**HD 1080P 20m Infra-red Turbo Turret Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 2.8 mm fixed lens



**DS-2CE56D0T-IRMF**  
**HD 1080P 20m Infra-red Turbo Turret Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- Full metal body



**DS-2CE56D0T-VFIR3F**  
**HD 1080P Vari-focal 40m IR Turbo Turret Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 2.8-12 mm vari-focal lens



**DS-2AE4225TI-D**  
**Outdoor 2-MP WDR IR 100 m Turbo PTZ Camera**

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 25x Optical Zoom
- 12V DC



**DS-2CS54C8T-PH**  
**HD 720p WDR Covert / Turbo Pinhole Camera**

- CVBS switchable analogue
- 2.8 mm fixed lens
- Ultra low-light



## Hikvision Turbo/TVI Equipment

### Turbo Recorders



**DS-7104HGHI-F1**  
**4-Channel 720P HD-TVI / Turbo DVR**

- HDMI/VGA output
- 1-Channel Audio in- /output
- HDD: 1 SATA interface



**DS-7108HGHI-F1**  
**8-Channel 720P HD-TVI / Turbo DVR**

- HDMI/VGA output
- 1-Channel Audio in- /output
- HDD: 1 SATA interface



**DS-7208HQHI-K1**  
**8-Channel 720p HD-TVI / Turbo DVR**

- HDMI/VGA/CVBS output
- 3-MP TVI camera capable
- HDD: 1 SATA interface



**DS-7116HGHI-F1**  
**16-Channel 720p HD-TVI Turbo DVR**

- HDMI/VGA output
- 1-Channel Audio in- /output
- HDD: 1 SATA interface

### Analogue Keyboard



**DS-7216HQHI-K2**  
**16-Channel HD1080 Turbo DVR**

- H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
- 1-Channel Audio in- / output
- HDD: 2 SATA interfaces (<10 TB)



**DS-7332HQHI-K4**  
**32-Channel 2-MP Turbo DVR**

- HD/CVI/AHD/CVBS
- 4-Channel Audio in- /output
- HDD: 4 SATA interfaces (< 8 TB)



**DS-1006KI**  
**Hikvision RS-485 Keyboard**

- 128 x 64 screen
- 4-axis joystick
- Connectable to DVR by RS-485 serial port

### Powerful Hikvision Turbo Recorders

Hikvision has now launched Turbo HD 4.0 – a brand new revolution in high-definition, high-performance surveillance video. Turbo HD 4.0 technology gives your analogue security system the powerful boost yet, upgrading the total system to amazing ultra-HD 4K resolution. Bandwidth efficiency improves by 75% using H.265+ compression. And by transmitting both HD video and power over the same coax cable, PoC technology ensures installations are faster, simpler, and less expensive.



## Hikvision Network (IP) Equipment

### Network (IP) Cameras



**DS-2CD2025WD-I**  
**2-MP Infra-red WDR Network Bullet Camera**

- Full HD1080p video
- 4 mm fixed lens
- Ultra-low light



**DS-2CD2045FWD-I**  
**4-MP Infra-red WDR Network Bullet Camera**

- Up to 30 m IR distance
- 4 mm fixed lens
- Built-in micro SD card slot



**DS-2CD2T25FWD-I8**  
**2-MP Long Range WDR Network Bullet Camera**

- Up to 80 m IR range
- 6 & 12 mm fixed lens
- Ultra-low light



**DS-2CD2T45FWD-I8**  
**4-MP Long Range EXIR Network Bullet Camera**

- Powered by Darkfighter technology
- Up to 80 m IR range
- 6 & 12 mm fixed lens



**DS-2CD2625FWD-IZS**  
**2-MP WDR Vari-focal Network Bullet Camera**

- 4 behaviour analyses & face detection
- Motorised zoom lens; 2.8~12 mm
- Up to 50 m IR range



**DS-2CD2645FWD-IZS**  
**4-MP WDR Vari-focal Network Bullet Camera**

- 4 Behaviour analyses
- Motorised zoom lens; 2.8~12 mm
- Up to 50 m Infra-red range



**DS-2CD2125FWD-I**  
**2-MP Infra-red WDR Network Dome Camera**

- Full HD1080p video
- 2.8 mm fixed lens
- Ultra-low light



**DS-2CD2145FWD-IZS**  
**4-MP Infra-red 30m Network Dome Camera**

- Powered by Darkfighter technology
- 2.8 mm fixed lens
- Audio/Alarm I/O

## Network (IP) Cameras *(continued)*



**DS-2CD2525FWD-IS**  
**2-MP WDR Fixed Mini Dome Network Camera**

- 2.8 mm fixed lens
- Built-in microphone
- Up to 10 m IR range



**DS-2CD2545FWD-IS**  
**4-MP Infra-red Mini Dome Network Camera**

- Powered by Darkfighter technology
- 2.8 mm fixed lens
- Built-in mic & Audio/Alarm I/O



**DS-2CD2725FWD-IZS**  
**2-MP WDR Vari-focal Network Dome Camera**

- 4 behavior analyses & face detection
- 2.8~12 mm vari-focal lens
- Up to 30 m IR range



**DS-2CD2745FWD-IZS**  
**4-MP IR Vari-focal Network Dome Camera**

- Powered by Darkfighter technology
- 2.8~12 mm Vari-focal lens
- EXIR 2.0, up to 30 m



**DS-2CD2955FWD-IS**  
**5-MP Infra-red 360° Fisheye Network Camera**

- Support 14 display modes
- Up to 8 m IR range
- Audio/Alarm IO



**DS-2DE4225IW-DE**  
**Outdoor 25X 2-MP Infra-red Network PTZ Dome Camera**

- WDR, BLC, 3D DNR, Defog, EIS
- Up to 100 m IR distance
- 12 VDC & PoE+

## Network Keyboard



**DS-1005KI**  
**USB Keyboard**

- Joystick: 3-axis control, rotating zoom
- 3D PTZ control
- Up to 15 programmable buttons

## Network Recorders



**DS-7608NI-K2**  
**8-Channel Embedded NVR**

- Up to 8-MP resolution recording
- HDMI output up to 4K resolution
- HDD: 2 SATA interfaces (< 6 TB)



**DS-7608NI-K2/8P**  
**8-Channel Embedded Plug & Play NVR**

- 8 PoE network interfaces
- HDMI output up to 4K resolution
- HDD: 2 SATA interfaces (< 6 TB)



**DS-7616NI-K2**  
**16-Channel Embedded NVR**

- Up to 8-MP resolution recording
- HDMI output up to 4K resolution
- HDD: 2 SATA interfaces (< 6 TB)



**DS-7616NI-K2/16P**  
**16-Channel Embedded Plug & Play NVR**

- 16 PoE network interfaces
- Up to 8-MP resolution recording
- HDD: 2 SATA interfaces (< 6 TB)



**DS-7716NI-I4**  
**16-Channel High End NVR**

- Up to 12-MP resolution recording
- HDD: 4 SATA interfaces (< 6 TB)
- Alarm I/O



**DS-7732NI-I4(B)**  
**32-Channel High End Embedded NVR**

- Up to 12-MP resolution recording
- HDD: 4 SATA interfaces (< 6 TB)
- Alarm I/O



**DS-7732NI-I4/16P(B)**  
**32-Channel High End Embedded NVR with PoE**

- Up to 12-MP resolution recording
- 16 PoE network interfaces
- HDD: 4 SATA interfaces (< 6 TB)



# Infrastructure

## Switches



### DS-3E0105P-E 4-Port 100 Mbps Unmanaged Economical PoE Switch

- 4 x 10/100 Mbps Auto-MDIX ports
- 4 kV Surge protection
- Plug-and-play installation



### DS-3E0109P-E 8-Port 100 Mbps Unmanaged Economical PoE Switch

- 8 x 10/100 Mbps Auto-MDIX Ports
- 250 m extended PoE support
- Plug-and-play installation



### DS-3E1318P-E 16-Port 100 Mbps Web-managed PoE Switch

- 8-core power supply technology
- 250 m extended PoE support
- 2 Uplink ports



### DS-3E1326P-E 24-Port 100 Mbps Web-managed PoE Switch

- 8-core power supply technology
- 250 m extended PoE support
- 2 Uplink ports



# Accessories

## Display Equipment



### DS-D5019QE-B Hikvision 18.5" LED Monitor

- LED-Backlit TFT LCD
- Input: HDMI, VGA
- VESA stand bracket (included)

## Camera Brackets



### DS-1258ZJ In- & Outdoor Wall Mount Dome Camera Bracket

- Suitable for DS-2CD21xxFWD-I(S)
- Aluminium alloy
- Φ88.5 mm



### DS-1258ZJ-L In- & Outdoor Wall Mount Dome Camera Bracket

- Suitable for DS-2CD27xx domes
- Hikvision White
- 136x183x213mm



### DS-1280ZJ-S Junction Box for Dome Cameras

- Hikvision White
- Aluminium alloy material
- Φ157x185x51.5mm



### DS-1602ZJ In- & Outdoor Wall Mount Camera Bracket

- Hikvision White
- Aluminium alloy & Steel
- 97x182x305 mm



### DS-1602ZJ-COR Corner Mount Bracket for PTZ Dome Cameras

- Wall mount
- Neat and small design
- Aluminium alloy & steel



### DS-1602ZJ-POLE Vertical Pole Mount Bracket

- Vertical pole mount bracket
- Hikvision White
- Aluminium alloy & steel



### DS-1662ZJ Pendant Mount Bracket for PTZ Dome Cameras

- Pendant mount - 50cm
- Aluminium alloy & steel
- 116.5x500mm

## Cable



### DS-1LN5E-E/E UTP 4 Pair CAT 5E Network Cable - 305 meters

- Conductor: Solid-bare copper (99.97%)
- Insulation: HDPE/ 0.82±0.03 mm
- Grey



### DS-1LN6-UU UTP 4 Pair CAT 6 Network Cable - 305 meters

- Core diameter: 0.565 mm
- Conductor: Solid-bare copper (100%)
- Insulation: HDPE/1.02±0.03 mm
- Orange
- Top quality

Should you require a Hikvision product which does not appear on this pricelist, you are welcome to contact your sales consultant or nearest Sensor branch and request, either a quotation or comprehensive pricelist.

**Sensor Gauteng**  
93 Tsesebe Crescent  
Building 3 Platinum Close  
Corporate Park South, Midrand  
Gauteng, South Africa  
Tel: +27 (0)11 314 9419

**Sensor Eastern Cape**  
37, 6th Avenue  
Walmer, Port Elizabeth  
Eastern Cape, South Africa  
Tel: +27 (0)41 581 0316

**Sensor Western Cape**  
Unit 3  
7 Gold Street  
Northgate Estate, Paarden Eiland  
Western Cape, South Africa  
Tel: +27 (0)21 914 7557

**Sensor Kwa-Zulu Natal**  
Unit F1, 35 Intersite Avenue  
Umgeni Business Park, Spingfield, Durban  
Kwa-Zulu Natal, South Africa  
Tel: +27 (0)31 263 0305/6/7

[www.sensorsecurity.co.za](http://www.sensorsecurity.co.za)